
***Proxyversion for Kiddy KINDL

***kiddy_kindl_p.

*****Recoding of raw scores.

*Negativly pooled items.

RECODE a_kind1 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind1.
RECODE a_kind2 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind2.
RECODE a_kind3 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind3.
RECODE a_kind6 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind6.
RECODE a_kind7 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind7.
RECODE a_kind8 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind8.
RECODE a_kind15 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind15.
RECODE a_kind16 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind16.
RECODE a_kind20 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind20.
RECODE a_kind24 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind24.
RECODE a_kind25 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind25.
RECODE a_kind28 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind28.
RECODE a_kind31 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind31.
RECODE a_kind34 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind34.
RECODE a_kind36 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind36.
RECODE a_kind38 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind38.
RECODE a_kind39 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind39.
RECODE a_kind41 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind41.
RECODE a_kind44 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind44.
RECODE a_kind45 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind45.
RECODE a_kind46 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind46.

*correctly pooled items.

RECODE a_kind4 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind4.
RECODE a_kind5 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind5.
RECODE a_kind9 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind9.
RECODE a_kind10 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind10.
RECODE a_kind11 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind11.
RECODE a_kind12 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind12.
RECODE a_kind13 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind13.
RECODE a_kind14 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind14.

RECODE a_kind17 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind17.
RECODE a_kind18 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind18.
RECODE a_kind19 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind19.
RECODE a_kind21 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind21.
RECODE a_kind22 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind22.
RECODE a_kind23 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind23.
RECODE a_kind26 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind26.
RECODE a_kind27 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind27.
RECODE a_kind29 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind29.
RECODE a_kind30 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind30.
RECODE a_kind32 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind32.
RECODE a_kind33 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind33.
RECODE a_kind35 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind35.
RECODE a_kind37 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind37.
RECODE a_kind40 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind40.
RECODE a_kind42 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind42.
RECODE a_kind43 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind43.
EXECUTE.

VARIABLE LABELS

a_xind1 '... my child felt ill'
a_xind2 '... my child had a headache or tummy-ache'
a_xind3 '... my child was tired and worn-out'
a_xind4 '... my child felt strong and full of energy'
a_xind5 '... my child had fun and laughed a lot'
a_xind6 '... my child didn't feel much like doing anything'
a_xind7 '... my child felt alone'
a_xind8 '... my child felt scared or unsure of him-/ herself'
a_xind9 '... my child was proud of him-/herself'
a_xind10 '... my child felt on top of the world'
a_xind11 '... my child felt pleased with him-/ herself'
a_xind12 '... my child had lots of good ideas'
a_xind13 '... my child got on well with us as parents'
a_xind14 '... my child felt fine at home'
a_xind15 '... we quarrelled at home'
a_xind16 '... my child felt that I was bossing him/ her around'
a_xind17 '... my child did things together with friends'
a_xind18 '... my child was liked by other kids'

a_xind19 '... my child got along well with his/ her friends'
a_xind20 '... my child felt different from other children'
a_xind21 '... my child coped well with the assignments set in nursery school/ kindergarten'
a_xind22 '... my child enjoyed the nursery school/ kindergarten'
a_xind23 '... my child looked forward to nursery school/kindergarten'
a_xind24 '... my child made lot os mistakes when doing minor assignments or homework'
a_xind25 '... my child was moody and whined a lot'
a_xind26 '... my child had a healthy appetite'
a_xind27 '... I managed to show patience and understanding towards my child'
a_xind28 '... my child felt under pressure'
a_xind29 '... my child slept soundly'
a_xind30 '... my child romped around and was very active'
a_xind31 '... my child kept bursting into tears'
a_xind32 '... my child was cheerful and in a good mood'
a_xind33 '... my child was alert and able to concentrate well'
a_xind34 '... my child was easily distracted and absent- minded'
a_xind35 '... my child enjoyed being with other children'
a_xind36 '... I had to give my child a telling-off'
a_xind37 '... I praised my child'
a_xind38 '... my child had problems with teachers, kindergarten staff or other child-minders'
a_xind39 '... my child was nervous and fidgety'
a_xind40 '... my child was lively and energetic'
a_xind41 '... my child complained of being in pain'
a_xind42 '... my child was sociable and out- going'
a_xind43 '... my child succeeded at everything he set out to do'
a_xind44 '... my child became dissatisfied easily'
a_xind45 '... my child cried bitterly'
a_xind46 '... my child lost his temper quickly'.

VALUE LABELS

a_xind1 a_xind2 a_xind3 a_xind6 a_xind7 a_xind8 a_xind15 a_xind16 a_xind20 a_xind24 a_xind25 a_xind28 a_xind31
a_xind34 a_xind36 a_xind38

a_xind39 a_xind41 a_xind44 a_xind45 a_xind46

1 'all the time'

2 'often'

3 'sometimes'

4 'seldom'

5 'never'.

EXECUTE.

VALUE LABELS

a_xind4 a_xind5 a_xind9 a_xind10 a_xind11 a_xind12 a_xind13 a_xind14 a_xind17 a_xind18 a_xind19 a_xind21 a_xind22
a_xind23

a_xind26 a_xind27 a_xind29 a_xind30 a_xind32 a_xind33 a_xind35 a_xind37 a_xind40 a_xind42 a_xind43

1 'never'

2 'seldom'

3 'sometimes'

4 'often'

5 'all the time'.

EXECUTE.

***** Total.

*Calculation of sum score.

COMPUTE total_mean =
mean.17(a_xind1,a_xind2,a_xind3,a_xind4,a_xind5,a_xind6,a_xind7,a_xind8,a_xind9,a_xind10,a_xind11
,a_xind12,a_xind13,a_xind14,a_xind15,a_xind16,a_xind17,a_xind18,a_xind19,a_xind20,a_xind21,a_xind22
,a_xind23,a_xind24).

COMPUTE total_sum = total_mean*24.

EXECUTE.

*Calculation of scale transformed to 100.

COMPUTE total_100 = ((total_sum-24)/96)*100.

EXECUTE.

***** Scale "Physical Well-being".

*Calculation of sum score.

COMPUTE pw_mean = mean.3(a_xind1, a_xind2, a_xind3, a_xind4).

COMPUTE pw_sum = pw_mean*4.

EXECUTE.

*Calculation of scale transformed to 100.

COMPUTE pw_100 = ((pw_sum-4)/16)*100.

EXECUTE.

***** Scale "Emotional well-being".

*Calculation of sum score.

COMPUTE ew_mean = mean.3(a_xind5, a_xind6, a_xind7, a_xind8).

COMPUTE ew_sum = ew_mean*4.

EXECUTE.

*Calculation of scale transformed to 100.

COMPUTE ew_100 = ((ew_sum-4)/16)*100.

EXECUTE.

***** Scale "Self-esteem".

*Calculation of sum score.

COMPUTE se_mean = mean.3(a_xind9, a_xind10, a_xind11, a_xind12).

COMPUTE se_sum = se_mean*4.

EXECUTE.

*Calculation of scale transformed to 100.

COMPUTE se_100 = ((se_sum-4)/16)*100.

***** Scale "Family".

*Calculation of sum score.

COMPUTE fa_mean = mean.3(a_xind13, a_xind14, a_xind15, a_xind16).

COMPUTE fa_sum = fa_mean*4.

EXECUTE.

*Calculation of scale transformed to 100.

COMPUTE fa_100 = ((fa_sum-4)/16)*100.

EXECUTE.

***** Scale "Friends".

*Calculation of sum score.

COMPUTE fr_mean = mean.3(a_xind17, a_xind18, a_xind19, a_xind20).

COMPUTE fr_sum = fr_mean*4.

EXECUTE.

*Calculation of scale transformed to 100.

COMPUTE fr_100 = ((fr_sum-4)/16)*100.

EXECUTE.

***** Scale "School".

*Calculation of sum score.

COMPUTE sc_mean = mean.3(a_xind21, a_xind22, a_xind23, a_xind24).

COMPUTE sc_sum = sc_mean*4.

EXECUTE.

*Calculation of scale transformed to 100.

COMPUTE sc_100 = ((sc_sum-4)/16)*100.

EXECUTE.

***** Scale "Kiddy-Eltern"(Sub-scale of 22 additional items of the parent version).

*Calculation of sum score.

COMPUTE ki_mean = mean.16(a_xind25, a_xind26, a_xind27, a_xind28, a_xind29, a_xind30, a_xind31, a_xind32, a_xind33, a_xind34, a_xind35, a_xind36, a_xind37, a_xind38, a_xind39, a_xind40, a_xind41, a_xind42, a_xind43, a_xind44, a_xind45, a_xind46).

COMPUTE ki_sum = ki_mean*22.

EXECUTE.

*Calculation of scale transformed to 100.

COMPUTE ki_100 = ((ki_sum-22)/88)*100.

EXECUTE.

VARIABLE LABELS

total_mean 'KINDL - Total Quality of life mean'

total_sum 'KINDL - Total Quality of life sum'

total_100 'KINDL - Total Quality of life 100'

pw_mean 'KINDL - Physical Well-being mean'

pw_sum 'KINDL - Physical Well-being sum'

pw_100 'KINDL - Physical Well-being 100'

ew_mean 'KINDL - Emotional Well-being mean'

ew_sum 'KINDL - Emotional Well-being sum'

ew_100 'KINDL - Emotional Well-being 100'
se_mean 'KINDL - Self-esteem mean'
se_sum 'KINDL - Self-esteem sum'
se_100 'KINDL - Self-esteem 100'
fa_mean 'KINDL - Family mean'
fa_sum 'KINDL - Family sum'
fa_100 'KINDL - Family 100'
fr_mean 'KINDL - Friend mean'
fr_sum 'KINDL - Friends sum'
fr_100 'KINDL - Friends 100'
sc_mean 'KINDL - School mean'
sc_sum 'KINDL - School sum'
sc_100 'KINDL - School 100'.
EXECUTE.

*ADDITIONAL SCALE DISEASES MODULE.

*****Recoding of raw scores.

*Negatively pooled items.

RECODE a_kind48 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind48.
RECODE a_kind49 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind49.
RECODE a_kind51 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind51.
RECODE a_kind52 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind52.
RECODE a_kind53 (5=1) (4=2) (3=3) (2=4) (1=5) INTO a_xind53.

*correctly pooled items.

RECODE a_kind50 (5=5) (4=4) (3=3) (2=2) (1=1) INTO a_xind50.
EXECUTE.

VARIABLE LABELS

a_xind48 '... my child was afraid that the illness might get worse'
a_xind49 '... my child was sad because of the illness'
a_xind50 '... my child was able to cope well with his/ her illness'
a_xind51 '... we treated our child as though he/ she were younger, because of the illness'
a_xind52 '... my child avoided others to notice his/ her illness'
a_xind53 '... my child missed something at nursery school/kindergarten because of his/ her illness'.

VALUE LABELS

a_xind48 a_xind49 a_xind51 a_xind52 a_xind53

1 'all the time'

2 'often'

3 'sometimes'

4 'seldom'

5 'never'.

EXECUTE.

VALUE LABELS

a_xind50

1 'never'

2 'seldom'

3 'sometimes'

4 'often'

5 'all the time'.

EXECUTE.

*****Scale "Additional Scale chronic-generic".

*Calculation of sum score.

COMPUTE cg_mean = mean.5(a_xind48, a_xind49, a_xind50, a_xind51, a_xind52, a_xind53).

COMPUTE cg_sum = cg_mean*6.

EXECUTE.

*Calculation of scale transformed to 100.

COMPUTE cg_100 = ((cg_sum-6)/24)*100.

EXECUTE.

VARIABLE LABELS

cg_mean 'KINDL - chronic-generic mean'

cg_sum 'KINDL - chronic-generic sum'

cg_100 'KINDL - chronic-generic 100'.

EXECUTE.

SORT CASES BY id.

EXECUTE.